

## LEADER 220 START



- Battery charger and starter: WET/START/STOP battery charger and cranking of any type of 12/24V petrol engine.
- Normal charge, fast (BOOST) charge, rapid cranking selection.
- Display of charging and cranking current.
- Protection against overcharging and pole inversion.

## DESCRIPTION







Battery charger and starter for charging free electrolyte batteries (WET) with 12/24V voltage, and starting all types of petrol-driven vehicles.

Features:

- choice of normal charge, quick charge (BOOST), quick start
- display of charging and starting current
- protection against overloads and polarity reversal.



## TECHNICAL DATA

<b>CODE</b> CODE 807539	<b>V<sub>1PH</sub></b> SINGLEPHASE MAINS VOLTAGE 230 V	<b>F</b> MAINS FREQUENCY 50 / 60 Hz
<b>P<sub>CHARGE</sub></b> CHARGING ABSORBED POWER 0,8 kW	<b>P<sub>START</sub></b> STARTING ABSORBED POWER 3,6 kW	 CHARGE AND STARTING VOLTAG. 12 / 24 V
<b>A<sub>EFF</sub></b> EFFECTIVE CHARGING CURRENT 30 A	<b>A<sub>EN</sub></b> RATED CHAR.CUR.EN60335-2-29 20 A	<b>A<sub>1V/C</sub></b> START CUR.1V/C EN60335-2-29 120 A
<b>A<sub>START MAX</sub></b> MAX STARTING CURRENT 180 A	 MIN.RATED REFERENCE CAPAC. 30 Ah	 MAX.RATED REFERENCE CAPAC. 400 Ah
 ADJUSTMENT POSITIONS 2	 DIMENSIONS (LxWxH) 22,5 x 29 x 20,5 cm	 WEIGHT 9 kg

## ON REQUEST ACCESSORIES



FUSES 30A 20 PCS  
802258

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST