

## DEFENDER 12



**ELEMENTS** *Tronic*



CHARGE

- Electronic battery charger and trickle charger with TRONIC technology for 6/12V WET, GEL, AGM, MF, PbCa, EFB batteries with specific car or motorbike programs. LCD screen.
- Tronic automatic charging and trickle charge. 3 charge voltages. COLD function for charging and trickle charging of batteries at low temperatures.
- Dust, humidity and water resistant. IP54.
- Protection against overcharging, short circuit and pole inversion.

## DESCRIPTION

Electronic battery charger and trickle charger with TRONIC technology for WET, GEL, AGM, MF, PbCa, EFB 6V/12V batteries.

Dedicated charging programs for motorcycles and cars.

Advanced function for charging and maintenance of batteries at low temperatures.






Features:

- Automatic charge and maintenance in Tronic mode;
- 3 charging voltages;
- COLD function to charge and maintain batteries at low temperatures;
- LCD display;
- Dust, humidity and water proof;
- Protection against overcharge, short circuit and polarity reversal.

Complete with cable with clamps.



## TECHNICAL DATA

<b>CODE</b>	CODE 807607	<b>V<sub>1PH</sub></b>	SINGLEPHASE MAINS VOLTAGE 230 V	<b>F</b>	MAINS FREQUENCY 50 / 60 Hz
<b>P</b>	CHARGING ABSORBED POWER 62 W		CHARGING VOLTAGE 6 / 12 V	<b>A<sub>EFF</sub></b>	EFFECTIVE CHARGING CURRENT 2 / 4 A
<b>A<sub>EN</sub></b>	RATED CHAR.CUR.EN60335-2-29 2 / 4 A		MIN.RATED REFERENCE CAPAC. 2 Ah		MAX.RATED REFERENCE CAPAC. 40 Ah
<b>IP</b>	PROTECTION DEGREE IP54		DIMENSIONS (LxWxH) 25 x 7,3 x 4,5 cm		WEIGHT 0,450 kg

## DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL

## USEFUL LINKS



VIDEO