

STARTZILLA 9024 XT



XT
RANGE

12V

24V



TEST



SUPPLY



START

LED LIGHT

- Multi-functional electronic starter, power supply unit and tester con LiFePo4 lithium battery for 12/24V cranking (9000A start max). With LCD display.
- OVER RIDE function for cranking in emergency conditions with no battery or completely flat.
- SUPPLY function for stable power supply during battery changes.
- Battery TEST function (cranking efficiency/charge status) and alternator.
- High efficiency led for use as emergency light.

DESCRIPTION

Multifunction electronic starter, power supply and tester, with LiFePO4 lithium battery for 12V/24V starting of cars, vans, small boats, lorries etc.

It performs control tests on the battery: voltage at terminals, starting capacity (CCA) and operational check of the vehicle alternator.

The OVER RIDE function allows starting in emergency conditions when battery is missing (or completely down).

It is a stable and reliable power supply source for battery charges (SUPPLY function).

Robust and compact, it is equipped with high intensity LED light.

Protection against: polarity reversal, short-circuit, overvoltage (incompatible battery voltage), undervoltage (cut-off voltage), overcurrent, overheating, under-temperature, accidental contacts, alternator return currents.

Complete with starting cables and wall charge.



TECHNICAL DATA

CODE	CODE 829525	V_{PH}	CHARGE MAINS VOLTAGE 1ph 100 - 240 V	C	BATTERY CAPACITY 31200 mAh
START	STARTING VOLTAGE 12 / 24 V	A_{START} MAX	MAX STARTING CURRENT 9000 / 4500 A	+	140 / 120 Ah
IP	PROTECTION DEGREE IP43	LxWxH	DIMENSIONS (LxWxH) 15,5 x 23,4 x 31,8 cm	kg	WEIGHT 4,33 kg

ON REQUEST ACCESSORIES



FUSE 400 K AAs
121818

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



BROCHURE