

START PLUS 4824



- 24V battery starter for light goods vehicles, lorries, tractors, excavators and 12V for cars, vans, boats, generators, etc. With positive-negative cables with clamps and T-Charge 12 battery charging of the product.
- The 12V output is a source of energy in the event of emergencies; connected to the cigarette lighter of the vehicle, it powers all the circuits in battery changes on vehicles with 12V batteries.
- Does not damage the vehicle electronics and allows numerous cranking operations before resulting charge.

DESCRIPTION

Battery-powered starter suitable for 24V starting of trucks, vans, tractors and 12V starting of cars, vans, boats, power sources, etc.










The 12V output is a power source for use in emergencies; when connected to the cigar-lighter outlet it maintains the voltage on all circuits during battery changes of vehicles with 12V batteries.

It does not damage the electronics of the vehicle and allows for a large number of starting operations before being recharged. Start Plus can be recharged using the battery charger T-CHARGE 12 included in the package (for the safeguard of the battery, charge for 12 hours before use, charge again after each use and every 3 months in any case).

Complete with positive-negative cables with clamps.



TECHNICAL DATA

 CODE	CODE 829570	 V_{PH}	CHARGE MAINS VOLTAGE 1ph 230 V	 START	STARTING VOLTAGE 12 / 24 V
 A_h	BATTERY CAPACITY 40 / 20 Ah	 A_{OUT}	STARTING CURRENT 1600 / 800 A	 A_{START} MAX	MAX STARTING CURRENT 4400 / 2200 A
 BATTERY	200 / 150 Ah	 LxWxH	DIMENSIONS (LxWxH) 30,5 x 36 x 63 cm	 kg	WEIGHT 30 kg

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST