

Lamps with metal bases T4W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Order reference | 3893 |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

| | |
|-----------------------|--------|
| Power input | 4 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 4.00 W |
| Test voltage | 13.5 V |
| Power input tolerance | ±10 % |

Photometrical data

| | |
|-------------------------|-------|
| Luminous flux | 35 lm |
| Luminous flux tolerance | ±20 % |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 8.8 mm |
| Product weight | 1.86 g |
| Length | 27.4 mm |

Lifespan

| | |
|-------------|--------|
| Lifespan B3 | 600 h |
| Lifespan Tc | 1200 h |

Additional product data

| | |
|-----------------------------|------|
| Base (standard designation) | BA9s |
|-----------------------------|------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

| | |
|---------------------------|-------------|
| ECE category | T4W |
| Approval marks – approval | E1 approval |

Country specific categorizations

| | |
|-----------------|------|
| Order reference | 3893 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 06-03-2024 |
| Primary Article Identifier | 4050300647609 4050300992631 4050300838489 4052899407381 4062172395984 4062172395960 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG-No. | STK number | UK Org |
|---------------|--------------|---------|------------|--------|
| 4050300647609 | OSRA3893BLI2 | - | 4730333 | - |
| 4050300647609 | OSRA3893BLI2 | - | 4730333 | - |
| 4050300838489 | OSRA3893 | - | - | - |
| 4050300525068 | OSRA3893 | - | - | - |
| 4050300838489 | OSRA3893 | - | - | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300647609 | ORIGINAL - METAL BASE T4W | Blister 2 | - x - x - | | 13.00 g |
| 4008321140395 | ORIGINAL - METAL BASE T4W | Shipping carton box 20 | 137 mm x 80 mm x 103 mm | 1.13 dm ³ | 122.00 g |
| 4050300838489 | ORIGINAL - METAL BASE T4W | Unpacked 1 | - x - x - | | |
| 4050300525068 | ORIGINAL - METAL BASE T4W | Folding carton box 10 | - x - x - | | |

Product datasheet

| | | | | | |
|---------------|------------------------------|---------------------------|----------------------------|----------------------|----------|
| 4008321095626 | ORIGINAL - METAL BASE T4W | Shipping carton box 50 | 148 mm x 115 mm x 55 mm | 0.94 dm ³ | 186.00 g |
|---------------|------------------------------|---------------------------|----------------------------|----------------------|----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM