

# ORIGINAL LINE H1

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	64150
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	68 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1550 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

### Dimensions & weight



Diameter	9 mm
Product weight	6.30 g
Length	67.5 mm

### Lifespan

Lifespan B3	400 h
Lifespan Tc	650 h

### Additional product data

Base (standard designation)	P14.5s
-----------------------------	--------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H1
--------------	----

### Country specific categorizations

Order reference	64150
-----------------	-------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300001487   4050300925264   4050300892474   4008321022240   4050300880181   4008321302748   4008321380593   4008321675460   4052899412026   4058075021891   4062172159340   4062172285056   4062172341400   4062172216470   4062172395380
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300001487	OSRA64150	-	-	-
4050300206820	OSRA64150	-	-	-
4050300001487	OSRA64150	-	-	-
4050300925264	OSRA64150BLI1	-	4730314	-
4050300925264	OSRA64150BLI1	-	4730314	-

### Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300001487	ORIGINAL LINE H1	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm <sup>3</sup>	8.00 g
4050300206820	ORIGINAL LINE H1	Bundle 10	113 mm x 50 mm x 70 mm	0.40 dm <sup>3</sup>	80.00 g
4050300206837	ORIGINAL LINE H1	Shipping carton box 100	122 mm x 109 mm x 361 mm	4.80 dm <sup>3</sup>	894.00 g

## Product datasheet

4050300925264	ORIGINAL LINE H1	Blister 1	- x - x -		
4008321142009	ORIGINAL LINE H1	Shipping carton box 10	225 mm x 105 mm x 145 mm	3.43 dm <sup>3</sup>	248.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	360 Degree Image ORIGINAL H1 64150

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM