

# ULTRA LIFE H7

Longer life and 4 year guarantee



### 4 year OSRAM guarantee

For a worry-free driving pleasure. Refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for precise conditions

### Extra lifetime

Up to four times longer lifetime compared to standard halogen lamps

### More durability

For longer replacement cycles and additional reliability and comfort



### The durable light with up to four times longer lifetime

OSRAM ULTRA LIFE automotive lamps are a favorite when it comes to durability. They have an impressive lifespan up to four times longer compared to standard halogen lamps and last up to 100,000 km (with an average annual mileage of 14,259 km and 60% light on). OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps ([www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)). In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

# Product datasheet

## Technical data

### Product information

Order reference	64210ULT
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	58 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1500 lm
Luminous flux tolerance	±10 %

### Dimensions & weight



Diameter	12.0 mm
Product weight	12.63 g
Length	59.0 mm

### Lifespan

Lifespan B3	1000 h
Lifespan Tc	1500 h
Guarantee	3+1 years

### Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H7
--------------	----

### Country specific categorizations

Order reference	64210ULT
-----------------	----------


### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300879284   4008321416148   4008321416292   4008321416261   4008321421258   4052899131453   4052899436237   4052899436213   4052899436152   4052899436299   4052899436534   4052899436251   4052899436572   4052899436558   4052899476004   4052899513211   4062172250207   4008321416087   4062172387613   4062172395205
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321416261	OSRA64210ULT	-	-	-
4008321416278	OSRA64210ULT	-	-	-
4008321416261	OSRA64210ULT	-	-	-

## Product datasheet





### Others graphics

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321416261	ULTRA LIFE H7	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm <sup>3</sup>	16.00 g
4008321416278	ULTRA LIFE H7	Bundle 10	170 mm x 69 mm x 58 mm	0.68 dm <sup>3</sup>	162.00 g
4008321416285	ULTRA LIFE H7	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm <sup>3</sup>	1775.00 g
4052899436534	ULTRA LIFE H7	Blister 1	135 mm x 95 mm x 35 mm	0.45 dm <sup>3</sup>	24.00 g
4052899436541	ULTRA LIFE H7	Shipping carton box 10	279 mm x 115 mm x 145 mm	4.65 dm <sup>3</sup>	331.00 g
4052899436558	ULTRA LIFE H7	Hard Cover Box 2	- x - x -		121.00 g
4062172058896	ULTRA LIFE H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	672.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	Brochures 724901_ULTRA LIFE Leaflet EN
	Product movie 724899_ULTRA LIFE Trailer EN

## Product datasheet



360 Degree Image  
ULTRA LIFE H7 64210ULT

### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM